

IN THE CLAIMS

1. (Original) A lead comprising:
 - a lead body extending from a proximal end to a distal end; and
 - an electrode coupled to the lead body;wherein the lead body and the electrode each have an outer surface adapted to passively prevent formation of clots on the outer surfaces.
2. (Original) The lead of claim 1, wherein the outer surface of the lead is textured so as to form a pseudo-intimal layer on the outer surface.
3. (Original) The lead of claim 1, wherein the lead body includes at least a portion seeded with endothelial cells or stem cells.
4. (Original) The lead of claim 1, wherein the lead body material includes a phospholipid polymer.
5. (Original) The lead of claim 1, wherein the outer surface of the electrode includes a textured coating or surface.
6. (Original) The lead of claim 5, wherein the electrode includes a coating including titanium microspheres.
7. (Original) The lead of claim 6, wherein the titanium microspheres are dimensioned to attract circulating blood cells so as to develop a uniform and tightly adherent biologic surface.
8. (Original) The lead of claim 1, wherein the lead body includes an amino acid sequence attached to a polymer, the amino acid sequence chosen to bind to cell receptors.

9. (Original) The lead of claim 1, wherein the outer surface of the lead does not include any active coatings which elute from the surface to minimize clotting.

10. (Original) The lead of claim 1, wherein the lead is coupled to a pulse generator and is adapted for delivering cardiac resynchronization therapy.

11. (Original) A lead comprising:

- a lead body extending from a proximal end to a distal end; and
- an electrode coupled to the lead body;

wherein the lead body has a textured outer surface adapted to passively prevent formation of clots on the outer surface; and

wherein the electrode includes an outer textured surface including microspheres.

12. (Original) The lead of claim 11, wherein the electrode outer surface is adapted to trap blood cells within the textured surface to form a layer of blood cells on the electrode surface.

13. (Original) The lead of claim 11, wherein the microspheres are titanium microspheres.

14. (Original) The lead of claim 11, wherein the outer surface of the lead does not include any active coatings which elute from the surface to minimize clotting.

15. (Original) The lead of claim 11, wherein the lead outer surface is inherently non-thrombogenic.

16. (Original) The lead of claim 11, wherein the lead is coupled to a pulse generator and is adapted for delivering cardiac resynchronization therapy.

17. (Original) A lead comprising:

- a lead body extending from a proximal end to a distal end;
- an electrode coupled to the lead body; and
- means for passively preventing formation of clots on the electrode and the lead body.

18. (Original) The lead of claim 17, wherein means for passively preventing includes a microsphere outer surface coating on at least a portion of the electrode.

19. (Original) The lead of claim 17, wherein means for passively preventing includes at least a portion of the lead body having an outer surface seeded with endothelial cells or stem cells.

20. (Original) The lead of claim 17, wherein means for passively preventing includes the lead body having an outer surface including a phospholipid polymer material.

21-23. (Cancelled)

RESPONSE TO RESTRICTION REQUIREMENT

Serial Number: 10/731,421

Filing Date: December 9, 2003

Title: ENDOCARDIAL LEAD FOR A LEFT HEART CHAMBER

Page 5

Dkt: 279.650US1

Conclusion

Applicant respectfully submits that the claims are in condition for allowance and notification to that effect is earnestly requested. The Examiner is invited to telephone Applicant's attorney at (612) 359-3267 to facilitate prosecution of this application.

If necessary, please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

Respectfully submitted,

MOHAN KRISHNAN ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

P.O. Box 2938

Minneapolis, MN 55402

(612) 359-3267

Date 5/23/05 By Peter C Maki
Peter C Maki
Reg. No. 42,832

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, MS: Amendment, P.O. Box 1450, Alexandria, VA 22313-1450 on this 23 day of May, 2005.

Paula Suchy
Name

Paula Suchy
Signature